


*Zodiac*



**Xicato**<sup>®</sup>

XFL Flexible Linear LED Solutions

**Xicato's XFL offers in multitude of profiles, densities and colours; meeting the most stringent requirements of architects, lighting designers and specifiers.**

*Features and Benefits:*

- Available in premium  $\leq 2$  SDCM
- Unmatched performance for CRI95+, high efficacy, gamut and fidelity
- Most commonly used 24V input for Constant Voltage (CV) and Pulse-Width Modulation(PWM)
- Superior construction for higher reliability and heat management, including 3 oz. Cu
- Supported by Xicato Bluetooth® Mesh Control portfolio

	Dimmable	SDCM	IP67 version	lm / m
<b>Static White</b>	✓	$\leq 2$	✓	220 - 1726
<b>Full Spectrum</b>	✓	$\leq 3$	✓	750 - 1330
<b>Ultra Slim</b>	✓	$\leq 2$		741 - 855
<b>High Density</b>	✓	$\leq 2$	✓	585 - 1563
<b>Tunable White</b>	✓	$\leq 2$	✓	657 - 1226

**Ultra Slim**



An ultra slim 4mm wide product. Available on its own or within an available channel portfolio.

- Wattages: 3.7 W/m
- CCT: 2200K, 2500K, 2700K, 3000K, 3500K, 4000K, 5000K
- Other CCTs available upon request
- Ultra Slim 4mm
- Gold plated PCB for optimal connectivity, long run lengths and long lifespan



**Static White**



Small profile and energy efficient flexible linear — easy to install on its own or in a channel.

- Wattages: 3.28, 9.84, 14.43, 16.40, 19.68 W/m
- CCT: 2200K, 2500K, 2700K, 3000K, 3500K, 4100K
- Other CCTs available upon request
- IP67 version available



**High Density**



A small profile product with up to 700 LEDs per meter provides superior performance on its own or within an available channel portfolio.

- Wattages: 9.84, 14.43, 16.40, 21.65 W/m
- CCT: 2200K, 2500K, 2700K, 3000K, 3500K, 4000K, 5000K
- Other CCTs available upon request
- 700 LEDs per meter
- IP67 version available



**Full Spectrum**




Covering the full spectrum of visible light, this light closely matches the spectrum of natural light that delivers a healthier light experience by minimizing the potential negative effects of artificial light.

- Wattages: 9.84, 14.43, 16.40, 19.68 W/m
- CCT: 4000K, 5000K, 5700K
- Other CCTs available upon request
- IP67 version available



**Tunable White**



CCT Tunable linear lighting with advanced on-board circuitry.

- Wattages: 9.84, 14.43, 17.06, 19.68 W/m
- CCT: Tunable between 2200K and 3500K
- IP67 version available



\*For the latest product information, please refer to Xicato's website.

## References:



Guerlian Passy / France



TWA Hotel / U.S.A



Quay Restaurant / Australia

### Head Office

1801, 18/F, Hong Man Industrial Centre, 2 Hong Man Street, Chai Wan, Hong Kong  
Tel: +852 2898 9023 E-mail: mail@zodiaclighting.com

### Zodiac Showroom

G/F & 1/F, Amber Commercial Building, 70-74 Morrison Hill Road, Wan Chai, Hong Kong  
Tel: +852 2882 9082 E-mail: showroom-lt@zodiaclighting.com

### Zodiac Showroom

G/F, Tak On Mansion, 32 Morrison Hill Road, Wan Chai, Hong Kong  
Tel: +852 2832 9987 E-mail: Showroom-mh@zodiaclighting.com

# Zodiac

     zodiaclighting